

CLAIMS

What is claimed is:

- Sub
a17
- 1 1. An interchangeable cover for a mobile communications device comprising:
2 a resilient semi-rigid shell including a front face and a back face commonly connected
3 to a side portion and having a substantially U-shaped profile adapted to wrap around a
4 substantial portion of a front, back and side of the mobile communications device upon
5 assembly over the mobile communications device.
- 1 2. The interchangeable cover of claim 1, wherein the resilient semi-rigid shell is adapted
2 to be secured to the mobile communications device without any fasteners.
- 1 3. The interchangeable cover of claim 1, wherein the mobile communications device has
2 a profile that is substantially trapezoidal in shape and the substantially U-shaped profile of
3 the resilient semi-rigid shell is configured such that a distance between the front face and the
4 back face is greater at a root of the U than at ends of the U such that the resilient semi-rigid
5 shell is adapted to clasp around the trapezoidal profile of the mobile communications device
6 upon assembly of the interchangeable cover over the mobile communications device.
- 1 4. The interchangeable cover of claim 1, wherein the mobile communications device
2 includes a keypad including a plurality of keypad buttons, and the front face of the
3 interchangeable cover includes a plurality of openings through which respective keypad
4 buttons extend upon assembly of the interchangeable cover over the mobile communications
5 device so as to enable a user to activate the keypad buttons.

1 5. The interchangeable cover of claim 1, further comprising a keypad operatively
2 coupled to the front face including a plurality of keypad buttons, and means for coupling
3 signals produced via an activation of said plurality of keypad buttons to the mobile
4 communications device.

1 6. The interchangeable cover of claim 1, wherein the mobile communications device
2 includes a set of keypad buttons and one or more input buttons apart from the set of keypad
3 buttons, and wherein the front face of the interchangeable cover includes one or more
4 openings defined therein through which said one or more input buttons pass upon assembly
5 of the interchangeable cover over the mobile communications device to enable a user to
6 activate said one or more input buttons.

1 7. The interchangeable cover of claim 1, wherein the mobile communications device
2 includes a keypad including a plurality of keypad switches, further comprising a membrane
3 operative coupled upon assembly to an inside of the front face including a plurality of dumb
4 buttons that are used to activate corresponding respective keypad switches on the mobile
5 communications device.

1 8. The interchangeable cover of claim 7, wherein the mobile communications device
2 further includes one or more input switches apart from the plurality of keypad switches,
3 further comprising a membrane operatively coupled upon assembly to an inside portion of the
4 resilient semi-rigid side including one ore more dumb buttons that are used to active
5 corresponding respective input switches on the mobile communications device.

1 9. The interchangeable cover of claim 9, wherein said one or more input switches
2 include a plurality of switches disposed on a side of the mobile communications device.

1 10. The interchangeable cover of claim 1, wherein the mobile communications device
2 includes a display and the front face of the resilient semi-rigid shell further includes an
3 aperture defined therein that enables a user to view the display when the interchangeable
4 cover is assembled over the mobile communications device.

1 11. The interchangeable cover of claim 10, further including a lens disposed within the
2 aperture.

1 12. The interchangeable cover of claim 1, further including a cutout region defined in the
2 front face extending inwardly from a mid-portion thereof to enable actuation of one or more
3 input buttons disposed on a front side of the mobile communications device upon assembly
4 of the interchangeable cover over the mobile communications device.

1 13. The interchangeable cover of claim 12, wherein the cutout region comprises a
2 radiused-V-shape configuration extending across a substantial portion of the front face.

1 14. The interchangeable cover of claim 1, further comprising a first substantially U-
2 shaped cutout defined in the side portion so as to extend inwardly from a first end of the side
3 portion, said first substantially U-shaped cutout defining respective shoulders in the front and
4 back faces.

1 15. The interchangeable cover of claim 14, further comprising a second substantially U-
2 shaped cutout defined in the side portion so as to extend inwardly from a second end of the
3 side portion opposite of the first end, said second substantially U-shaped cutout defining
4 respective shoulders in the front and back faces.

Al
Curt

1 16. The interchangeable cover of claim 1, wherein the mobile communications device
2 includes one or more side input buttons disposed on a side of the mobile communications
3 device that is substantially covered by the side portion of the semi-rigid shell upon assembly,
4 further including one or more corresponding openings defined in the side portion through
5 which said one or more side input buttons respectively pass upon assembly to enable a user to
6 activate said one or more side input button(s).

1 17. The interchangeable cover of claim 1, further comprising at least one input button
2 operatively coupled to the front face of the resilient semi-rigid shell and means for coupling
3 signals produced via an activation of said at least one input button to the mobile
4 communications device.

1 18. The interchangeable cover of claim 1, further comprising at least one input button
2 operatively coupled to the back face of the resilient semi-rigid shell and means for coupling
3 signals produced via an activation of said at least one input button to the mobile
4 communications device.

1 19. The interchangeable cover of claim 1, further comprising at least one input button
2 operative coupled to the side portion of the resilient semi-rigid shell and means for coupling
3 signals produced via an activation of said at least one input button to the mobile
4 communications device.

1 20. The interchangeable cover of claim 1, further comprising one or more inwardly
2 extending protrusions defined in at least one of the front face and/or back face that are
3 adapted to fit into (a) respective recess(es) defined in a front and/or back side of the mobile

4 communications device upon assemble of the interchangeable cover over the mobile
5 communications device.

1 21. The interchangeable cover of claim 1, further comprising a plurality of inwardly
2 extending cleats defined in at least one of the front face and/or back face that are adapted to
3 engage respective recesses defined in a front and/or back side of the mobile communications
4 device upon assemble of the interchangeable cover over the mobile communications device
5 so as to assist in securing the interchangeable cover to the mobile communications device.

1 22. The interchangeable cover of claim 1, wherein the front face further includes a
2 plurality of speaker slots that are used to enable audible speaker signals produced by the
3 mobile communications device to pass through the interchangeable cover upon assembly to
4 the mobile communications device.

1 23. The interchangeable cover of claim 1, wherein the front face further includes a
2 microphone slot configured to enables verbal user input to be received by a microphone
3 disposed within the mobile communications device.

1 24. The interchangeable cover of claim 1, further comprising:
2 an ornamental design disposed over the front face; and
3 a design containing indicia corresponding to at least one business entity on the back
4 face.

1 25. The interchangeable cover of claim 1, further comprising:
2 an ornamental design disposed over the front face; and

3 a first design containing indicia corresponding to a first business entity disposed on
4 the back face; and

5 a second design containing indicia corresponding to a second business entity disposed
6 on the back face.

1 26. The interchangeable cover of claim 1, wherein the mobile communications device
2 comprises a cellular phone.

1 27. The interchangeable cover of claim 1, wherein the mobile communications device
2 comprises a personal digital assistant device.

1 28. The interchangeable cover of claim 1, wherein the mobile communications device
2 comprises a two-way pager.

1 29. The interchangeable cover of claim 1, wherein the mobile communications device
2 comprises a pocket PC.

1 30. The interchangeable cover of claim 1, wherein the resilient semi-rigid shell has an
2 arcuate segment configuration when viewed from a plan view.

1 31. An interchangeable cover for a mobile communications device having a body with a
2 substantially tetrahedral profile, a front peripheral lip defined around a peripheral portion of a
3 front of the body and a back peripheral lip defined around a peripheral portion of a back of
4 the body, comprising:

5 a resilient semi-rigid shell including a front face and a back face commonly connected
6 to a side portion and having substantially U-shaped profile adapted to wrap around a

Year	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

33. The interchangeable cover of claim 31, further comprising a pair of substantially U-shaped cutouts defined in the side portion so as to extend inwardly from opposing ends of the side portion, each of said substantially U-shaped cutouts defining respective pairs of shoulders in the front and back faces of the resilient semi-rigid shell that are disposed adjacent inwardly extending portions of the front and back peripheral lips so as to partially encapsulate each of the front and back faces within the front and back peripheral lips upon assembly.

20

1 35. The interchangeable cover of claim 34, wherein an audible click is produced when the
2 shoulders of the resilient semi-rigid shell pass over adjacent mating portions defined in the
3 peripheral lip of the mobile communications device upon assembly of the interchangeable
4 cover to the mobile communications device.

1 36. The interchangeable cover of claim 31, wherein the mobile communications device
2 includes a keypad including a plurality of keypad switches, further comprising a membrane
3 operative coupled upon assembly to an inside of the front face including a plurality of dumb
4 buttons that are used to activate corresponding respective keypad switches on the mobile
5 communications device.

1 37. The interchangeable cover of claim 36, wherein the mobile communications device
2 further includes one or more input switches apart from the plurality of keypad switches,
3 further comprising a membrane operatively coupled upon assembly to an inside portion of the
4 resilient semi-rigid side including one ore more dumb buttons that are used to active
5 corresponding respective input switches on the mobile communications device.

1 38. The interchangeable cover of claim 31, wherein the mobile communications device
2 includes a display and the front face of the resilient semi-rigid shell further includes an
3 aperture defined therein that enables a user to view the display when the interchangeable
4 cover is assembled over the mobile communications device.

1 39. The interchangeable cover of claim 38, further including a lens disposed within the
2 aperture.

1 40. A method of distributing advertisements comprising:
2 authorizing manufacture of a plurality of interchangeable phone covers adapted to be
3 attached to compatible mobile communications devices, each interchangeable cover
4 comprising a front side and a back side commonly connected to a side portion, the back side
5 including indicia corresponding to at least one business entity;
6 distributing the interchangeable phone covers to end users for attachment to
7 compatible mobile communications devices used by the end users; and
8 receiving compensation from said at least one business entity.

1 41. The method of claim 40, wherein the indicia comprises a plurality of marks
2 corresponding to respective business entities, and compensation is received from said
3 respective business entities.

1

1